

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	(version adj information) and (server same send\$3 same version) and (client same receiv\$3 same version) and (table same components)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 15:58
S2	74	(version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:26
S3	62	((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:26
S4	1	(((((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and (database OR table)) and (program near memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:28
S5	1	(((((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and version.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:39
S6	0	(((((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and upgrad\$3.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:39
S7	59	(((((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and (database OR table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:43
S8	4	"717".clas. and (version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:50
S9	193	"717".clas. and (version same (updat\$3 OR upgrad\$3)) and server and client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:52
S10	171	("717".clas. and (version same (updat\$3 OR upgrad\$3)) and server and client) and component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:52

S11	5	((("717".clas. and (version same (updat\$3 OR upgrad\$3)) and server and client) and component) and (version near2 message)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 11:59
S12	0	"717".clas. and (software near (updat\$3 OR upgrad\$3)) and server and client and (component near3 count\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 12:00
S13	4	(software near (updat\$3 OR upgrad\$3)) and server and client and (component near3 count\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 12:01
S14	5	"717".clas. and (software near (updat\$3 OR upgrad\$3)) and server and client and (component same count\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 13:30
S15	60	(reference adj count\$3) and software and upgrad\$3 and version and (client with server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 14:34
S16	61	(distributed same processing) and ((upgrad\$3 OR updat\$3) same (program OR software) same version) and stub	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 14:38
S17	5969	"19960606".ad.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 14:50
S18	13490	"19950606".ad.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 14:50
S19	0	"8".SRC. and "471659".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 14:53
S20	2	"5764992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 15:10
S21	6	(program near component) same transfer and server and client and stor\$3 and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 15:11

S22	26	(distributed\$1object OR (distributed adj object)) same transfer\$3 and (upgrad\$3 OR updat\$3) and client and server and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 16:14
S23	5	(distributed\$1software) OR (distributed adj (program OR software)) same transfer\$3 and (upgrad\$3 OR updat\$3) and client and server and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 16:17
S24	27	(distributed\$1component) OR (distributed adj component) same transfer\$3 and (upgrad\$3 OR updat\$3) and client and server and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 16:54
S25	90	version with message with server with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 16:55
S26	67	(version with message with server with client) and software	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 16:55
S27	57	((version with message with server with client) and software) and component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/11 16:55
S28	4	("5732275"   "5805891"   "5845077"   "5909581").PN.	USPAT	OR	ON	2003/09/11 17:09
S29	6	("4954941"   "5155847"   "5359730"   "5379429"   "5473772"   "5586304").PN.	USPAT	OR	ON	2003/09/11 17:15
S30	305	"management information table"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 10:40
S31	75	"management information table" and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 10:40
S32	48	("management information table" and version) and (updat\$3 OR upgrad\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 11:42
S33	0	"information table" same (reference adj count\$2) same increment same decrement	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 11:43
S34	4	"information table" same (reference adj count\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:05

S35	8	table same (reference adj count\$2) same (zero OR '0') same remove	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:38
S36	3	(reference adj count\$2) same (zero OR '0') same remove same execut\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:40
S37	14	(reference adj count\$2) same (zero OR '0') same remove and ((execut\$3 OR run\$3) with component)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:57
S38	37707	(reference adj count\$2) same (zero OR '0') same remove (distributed same component)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:57
S39	1	(reference adj count\$2) same (zero OR '0') same remove and (distributed same component)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:58
S40	0	((reference adj pointer) same (zero OR '0') same remove) and (distributed same component)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:58
S41	0	((reference adj number) same (zero OR '0') same remove) and (distributed same component)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:58
S42	1	((reference adj count\$2) same (zero OR '0') same remove) and (distributed same component)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 13:58
S43	792	(reference adj count\$2) same zero	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:13
S44	0	((reference adj count\$2) same zero) and (evaluation near flag)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:12
S45	230	((reference adj count\$2) same zero) and flag	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:12
S46	136	((reference adj count\$2) same zero) and flag) and remove	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:13

S47	192	(reference adj count\$2) same zero same memory	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:04
S48	60	((reference adj count\$2) same zero same memory) and flag	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:14
S49	35	((((reference adj count\$2) same zero same memory) and flag) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:14
S50	19	(((((reference adj count\$2) same zero same memory) and flag) and server) and client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:14
S51	30	(((((reference adj count\$2) same zero same memory) and flag) and server) and distribut\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:41
S52	85	((reference adj count\$2) same zero same memory) and distribut\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:41
S53	60	((((reference adj count\$2) same zero same memory) and distribut\$2) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:42
S54	59	(((((reference adj count\$2) same zero same memory) and distribut\$2) and server) and distributed	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:43
S55	25	(((((reference adj count\$2) same zero same memory) and distribut\$2) and server) and (distributed near object)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 14:43
S56	10	(reference adj count\$2) same zero same memory same remove	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:05
S57	50	(reference adj count\$2) same zero same memory same (remove\$1 OR release\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:20
S58	26	((reference adj count\$2) same zero same memory same (remove\$1 OR release\$1)) and distributed	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:08

S59	0	(evaluation adj count\$2) same zero same memory same (remove\$1 OR release\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:20
S60	10	(evaluation adj count\$2) same zero	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:21
S61	1	(evaluation near (flag OR marker)) with component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 15:22
S62	1	(client adj stub) same version same program	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 16:26
S63	11	(client adj stub) same version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 16:28
S64	0	(stub near process\$3) same version same message	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 16:28
S65	5	(stub near process\$3) same version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 16:29
S66	4	stub same message same version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/12 16:29
S67	6	("5577251"   "5640564"   "5751967"   "5754857"   "5787251"   "6157961").PN.	USPAT	OR	ON	2003/09/12 16:46
S68	7	(client near stub) and (server near stub) and skeleton and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 15:55
S69	45	(client near stub) and (server near stub) and version	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 10:29
S70	1	(evaluation near flag) with component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 15:56
S71	16	(evaluation near2 (marker OR indicator OR symbol)) with component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 15:58

S72	118	bit with component with evaluat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 15:58
S73	11	(bit with component with evaluat\$3) and message	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:01
S74	1635	(second with message) and network and evaluation	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:03
S75	687	((second with message) and network and evaluation) and flag	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:02
S76	569	((second with message) and network and evaluation) and flag and component	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:02
S77	978	(second with message) and (program near2 (object OR component))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:04
S78	7	((second with message) and (program near2 (object OR component))) and (component near2 evaluat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:16
S79	4	(mutex near lock) same evaluat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 16:17
S80	16	(US-5410703-\$ or US-5555418-\$ or US-5586304-\$ or US-5732275-\$ or US-5761499-\$ or US-5805891-\$ or US-5845077-\$ or US-5909581-\$ or US-5940827-\$ or US-5974454-\$ or US-6157961-\$ or US-6336148-\$ or US-6347398-\$ or US-6353926-\$ or US-6381735-\$ or US-6493768-\$). did.	USPAT	OR	ON	2005/06/20 14:12
S81	2	client and server and stub and ((upgrad\$3 updat\$3) with service with interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 14:18

S82	23	client and server and ((upgrad\$3 updat\$3) with without with service with interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 14:19
S83	38	client and server and ((upgrad\$3 updat\$3) with without with service with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 14:53
S84	2	S83 and (stub skeleton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 14:19
S85	54	(distributed with (client system computer)) and ((upgrad\$3 updat\$3) with without with service with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 14:59
S86	3	S85 and (plurality near2 version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 14:54
S87	27	S85 and dynamic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:16
S88	375	717/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:23
S89	17	S88 and (service with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:55



S90	4	S89 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:17
S91	833	717/170-173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:57
S92	32	S91 and (service with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:24
S93	19	S92 and (plurality with (client computer systems))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:51
S94	17	("5247683"   "5408624"   "5586304"   "5623604"   "5692183"   "5734898"   "5790796"   "5815722"   "5835911"   "5901320").PN. OR ("6289510"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/20 17:30
S95	95	("4558413"   "5247683"   "5390314"   "5526257"   "5544320").PN. OR ("5835911"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/20 17:34
S96	5	S95 and (service with interrupt\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/20 17:35
S97	375	717/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:52
S98	2	"6324692".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:55

S99	532	717/171-173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:57
S10 0	79	S99 and (service with (interrupt\$3 stop\$4 end\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:57
S10 1	39	S100 and server and client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:58
S10 2	5	S101 and (version with (plurality multiple) with (system client computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 17:59
S10 3	2	"6113652".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:11
S10 4	1311	717/168-173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:11
S10 5	8	S104 and (non\$1disrupt\$3) with upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:14
S10 6	11	S104 and (distributed with version with upgrad\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:42
S10 7	11	("4999806"   "5155837"   "5274767"   "5379429"   "5421017"   "5490134"   "5754785").PN. OR ("6113652").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/30 11:46

S10 8	39	S104 and ((disrupt\$3 OR interrupt\$3) with upgrad\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:48
S10 9	12	S108 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:48
S11 0	6	S109 and ((multiple several more) near3 version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:48